

PRODUCTS

# *CONCRETE SPACERS*

Fibre concrete linear spacer  
„Triangle full“



## DREIKANT VOLL

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBD2010	20	1	1.500
FBD2510	25	1	1.000
FBD3010	30	1	750
FBD3510	35	1	600
FBD4010	40	1	400
FBD4510	45	1	300
FBD5010	50	1	250
FBD5510	55	1	250
FBD6010	60	1	250
FBD7010	70	1	175

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete linear spacer  
„Triangle T-Profil“



## DREIKANT T-PROFIL

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBT2510	25	1	1.500
FBT3010	30	1	1.000
FBT3510	35	1	750
FBT4010	40	1	600
FBT4510	45	1	500
FBT5010	50	1	400
FBT5510	55	1	300
FBT6010	60	1	250
FBT7010	70	1	250
FBT8010	80	1	200

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete linear spacer  
„Triangle concave“



## DREIKANT KONKAV

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBK2510	25	1	1.500
FBK3010	30	1	1.000
FBK3510	35	1	750
FBK4010	40	1	600
FBK4510	45	1	500
FBK5010	50	1	400
FBK5510	55	1	300
FBK6010	60	1	250
FBK7010	70	1	250
FBK8010	80	1	200

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## VIERKANT

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBV2010	20	1	1.000
FBV2510	25	1	700
FBV3010	30	1	500
FBV304010	30-40	1	400
FBV3510	35	1	400
FBV4010	40	1	250
FBV405010	40-50	1	250
FBV4510	45	1	250
FBV5010	50	1	200
FBV5510	55	1	175
FBV6010	60	1	125
FBV7010	70	1	100
FBV7510	75	1	100

Fibre concrete linear spacer  
„Square“



CONCRETE SPACERS

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## RUNDSTAB

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBR2010	20	1	1.500
FBR2510	25	1	1.000
FBR3010	30	1	750
FBR3510	35	1	500
FBR4010	40	1	400
FBR4510	45	1	300
FBR5010	50	1	250
FBR5510	55	1	200

Fibre concrete linear spacer  
„Round bar“



Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## DREIKANT MIT HAKEN

Fibre concrete spacer  
„Triangle with hooks“




Item-No.	Concrete cover mm	Length m	Pcs/Box	Pcs/Pallet
FBKH2018	20	0,18	150	6.000
FBKH2518	25	0,18	125	5.000
FBKH3018	30	0,18	125	5.000
FBKH3518	35	0,18	100	4.000
FBKH4018	40	0,18	100	4.000
FBKH4518	45	0,18	80	3.200
FBKH5018	50	0,18	50	2.000
FBKH5518	55	0,18	45	1.800
FBKH6018	60	0,18	40	1.600
FBKH2033	20	0,33	40	3.000
FBKH2533	25	0,33	75	3.000
FBKH3033	30	0,33	75	3.000
FBKH3533	35	0,33	60	2.400
FBKH4033	40	0,33	50	2.000
FBKH4533	45	0,33	40	1.600
FBKH5033	50	0,33	40	1.280
FBKH5533	55	0,33	25	1.000
FBKH6033	60	0,33	25	1.000

For iron bar up to Ø 12mm.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## DREIKANT MIT 2 DRÄHTEN

Fibre concrete spacer  
„Triangle with two wires“  
1,4mm wire (black)



Item-No.	Concrete cover mm	Length m	Pcs/Box	Pcs/Pallet
FBKD3018	30	0,18	125	5.000
FBKD3518	35	0,18	100	4.000
FBKD4018	40	0,18	100	4.000
FBKD4518	45	0,18	70	2.800
FBKD5018	50	0,18	50	2.000
FBKD5518	55	0,18	45	1.800
FBKD6018	60	0,18	40	1.600
FBKD3033	30	0,33	65	2.600
FBKD3533	35	0,33	55	2.200
FBKD4033	40	0,33	45	1.800
FBKD4533	45	0,33	40	1.600
FBKD5033	50	0,33	35	1.400
FBKD5533	55	0,33	25	1.000
FBKD6033	60	0,33	25	1.000

On request with galvanized wire.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## SCHLANGE OHNE NOPPEN

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBS2010	20	1	1.500
FBS2510	25	1	1.500
FBS3010	30	1	1.250
FBS3510	35	1	1.000
FBS4010	40	1	750
FBS4510	45	1	600
FBS5010	50	1	600
FBS5510	55	1	500
FBS6010	60	1	400
FBS2008	20	0,8	2.000
FBS2508	25	0,8	1.750
FBS3008	30	0,8	1.500
FBS3508	35	0,8	1.250
FBS4008	40	0,8	1.000
FBS4508	45	0,8	750
FBS5008	50	0,8	600
FBS5508	55	0,8	500
FBS6008	60	0,8	500

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„Snake without burls“



## SCHLANGE MIT NOPPEN

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBSN2010	20	1	1.500
FBSN2510	25	1	1.500
FBSN3010	30	1	1.250
FBSN3510	35	1	1.000
FBSN4010	40	1	750
FBSN4510	45	1	600
FBSN5010	50	1	600
FBSN5510	55	1	500
FBSN6010	60	1	400
FBSN2008	20	0,8	2.000
FBSN2508	25	0,8	1.750
FBSN3008	30	0,8	1.500
FBSN3508	35	0,8	1.250
FBSN4008	40	0,8	1.000
FBSN4508	45	0,8	750
FBSN5008	50	0,8	600
FBSN5508	55	0,8	500
FBSN6008	60	0,8	500

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„Snake with burls“



Fibre concrete spacer  
„T-Snake“




## T-SCHLANGE

Item-No.	Concrete cover mm	Length m	Pcs/Pallet
FBT2510S	25	1	1.500
FBT3010S	30	1	1.000
FBT3510S	35	1	750
FBT4010S	40	1	600
FBT4510S	45	1	500
FBT5010S	50	1	400
FBT5510S	55	1	300
FBT6010S	60	1	250
FBT7010S	70	1	250

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„Bow without burls“



## BOGEN OHNE NOPPEN

Item-No.	Concrete cover mm	Length m	Pcs/Box	Pcs/Pallet
FBB2533	25	0,33	80	3.200
FBB3033	30	0,33	65	2.600
FBB3533	35	0,33	60	2.400
FBB4033	40	0,33	40	1.600
FBB4533	45	0,33	40	1.600
FBB5033	50	0,33	25	1.000
FBB2525	25	0,25	100	4.000
FBB3025	30	0,25	80	3.200
FBB3525	35	0,25	75	3.000
FBB4025	40	0,25	65	2.600
FBB4525	45	0,25	60	2.400
FBB5025	50	0,25	40	1.600

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„Bow with burls“



## BOGEN MIT NOPPEN

Item-No.	Concrete cover mm	Length m	Pcs/Box	Pcs/Pallet
FBBN2533	25	0,33	80	3.200
FBBN3033	30	0,33	65	2.600
FBBN3533	35	0,33	60	2.400
FBBN4033	40	0,33	40	1.600
FBBN4533	45	0,33	40	1.600
FBBN5033	50	0,33	25	1.000
FBBN2525	25	0,25	100	4.000
FBBN3025	30	0,25	80	3.200
FBBN3525	35	0,25	75	3.000
FBBN4025	40	0,25	65	2.600
FBBN4525	45	0,25	60	2.400
FBBN5025	50	0,25	40	1.600

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## KNOCHEN OHNE DRAHT

Item-No.	Concrete cover mm	Cut width mm	Pcs/Bag	Pcs/Pallet
FBEK20	20-25-30	22	1.000	30.000
FBEK35	35-40-50	25	250	10.000
FBEK45	45-55-60	28	125	5.000

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Item-No.	Concrete cover mm	Cut width mm	Pcs/Bag	Pcs/Pallet
FBEK1520	15-20	24	1.000	20.000
FBEK2530	25-30	24	500	20.000
FBEK3540	35-40	28	250	10.000
FBEK4050	40-50	28	250	10.000
FBEK4555	45-55	28	150	6.000
FBEK5060	50-60	28	125	5.000
FBEK5565	55-65	28	125	5.000

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete single spacer  
„Bone without wire“



## KNOCHEN MIT DRAHT

Item-No.	Concrete cover mm	Cut width mm	Pcs/Bag	Pcs/Pallet
FBEKD20	20-25-30	22	500	25.000
FBEKD35	35-40-50	25	250	10.000
FBEKD45	45-55-60	28	125	5.000

With galvanized wire on request.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Item-No.	Concrete cover mm	Cut width mm	Pcs/Bag	Pcs/Pallet
FBEKD1520	15-20	24	1.000	20.000
FBEKD2530	25-30	24	500	20.000
FBEKD3540	35-40	28	250	10.000
FBEKD4050	40-50	28	250	10.000
FBEKD4555	45-55	28	150	6.000
FBEKD5060	50-60	28	125	5.000
FBEKD5565	55-65	28	125	4.000

With galvanized wire on request.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete single spacer  
„Bone with wire“  
1,2mm wire



## EINZELABSTANDHALTER MIT DRAHT

Fibre concrete single spacer  
„with wire“  
1,2mm wire (black)



Item-No.	Concrete cover mm	Cut width mm	Pcs/ Bag	Pcs/ Pallet
FBETD20	20	22	1.000	50.000
FBETD25	25	22	1.000	40.000
FBETD30	30	25	500	20.000
FBETD35	35	25	500	20.000
FBETD40	40	25	500	20.000
FBETD45	45	28	250	10.000
FBETD50	50	28	250	10.000
FBETD55	55	28	200	8.000
FBETD60	60	28	200	8.000
FBETD65	65	28	125	5.000
FBETD70	70	28	125	5.000
FBETD75	75	28	125	5.000
FBETD80	80	35	75	3.000
FBETD85	85	35	75	3.000
FBETD90	90	35	75	3.000
FBETD95	95	40	60	2.400
FBETD100	100	40	60	2.400

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## EINZELABSTANDHALTER OHNE DRAHT

Fibre concrete single spacer  
„without wire“



Item-No.	Concrete cover mm	Cut width mm	Pcs/ Bag	Pcs/ Pallet
FBET20	20	22	1.000	50.000
FBET25	25	22	1.000	40.000
FBET30	30	25	500	20.000
FBET35	35	25	500	20.000
FBET40	40	25	500	20.000
FBET45	45	25	250	10.000
FBET50	50	28	250	10.000
FBET55	55	28	200	8.000
FBET60	60	28	200	8.000
FBET65	65	28	125	5.000
FBET70	70	28	125	5.000
FBET75	75	28	125	5.000
FBET80	80	35	75	3.000
FBET85	85	35	75	3.000
FBET90	90	35	75	3.000
FBET95	95	40	60	2.400
FBET100	100	40	60	2.400

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A



## MIT HOHLKEHLE

Item-No.	Concrete cover mm	Cut width mm	Depth of hollow mm	Width of hollow mm	Pcs/ Bag	Pcs/ Pallet
FBE2H20/30/10	20	30	10	12	250	8.000
FBE2H25/30/10	25	30	10	12	200	8.000
FBE2H30/30/10	30	30	10	12	200	8.000
FBE2H35/30/10	35	30	10	12	200	8.000
FBE2H40/30/10	40	30	10	12	200	8.000
FBE2H45/30/10	45	30	10	12	150	6.000
FBE2H50/30/10	50	30	10	12	150	6.000

For iron bar up to Ø 12mm.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„with groove“  
with 2 hooks lengthwise



Item-No.	Concrete cover mm	Cut width mm	Depth of hollow mm	Width of hollow mm	Pcs/ Bag	Pcs/ Pallet
FBE2H20/40/10Q	20	40	10	12	200	6.000
FBE2H25/40/10Q	25	40	10	12	150	6.000
FBE2H30/40/10Q	30	40	10	12	150	6.000
FBE2H35/40/10Q	35	40	10	12	150	6.000
FBE2H40/40/10Q	40	40	10	12	150	6.000
FBE2H45/40/10Q	45	40	10	12	150	6.000
FBE2H50/40/10Q	50	40	10	12	125	5.000

For iron bar up to Ø 12mm.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„with groove“  
with 2 hooks across



## TUNNELABSTANDHALTER FASERBETON

Item-No.	Concrete cover mm	Dimension mm	Pcs/ Bag	Pcs/ Pallet
FBTU40D2	40	100x100	25	1.000
FBTU50D1	50	100x100	25	1.000

Optional with glued on geotextile for protection of the tunnel foil.

Dimension 80x80 or 80x100mm also possible.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete tunnel spacer  
„Faserbeton“  
2x 1,4mm wire (black)



## SCHLITZWANDABSTANDHALTER

Item-No.	Concrete cover mm	Length mm	Width mm	Slope	Pcs/ Pallet
FBVS50/250	50	150/250	50	45°	800
FBVS70/330	70	190/330	70	45°	300

Custom-made product. Other dimension available on request.

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Fibre concrete spacer  
„Diaphragm“



Cast concrete single spacer  
„Conical shape“



..KK - with plastic clamp  
..FB - with shuttlecock clip  
..O - with eye hook

## FLACHE AUFLAGE „RUND“

Item-No.	Concrete cover mm	For bar Ø mm	Pcs/ Bag	Pcs/ Pallet
GBFA20..	20	4-14	300	12.000
GBFA25..	25	4-14	285	11.400
GBFA30..	30	4-14	240	9.600
GBFA35..	35	4-14	215	8.600
GBFA40..	40	4-14	190	7.600
GBFA50..	50	4-14	130	5.200
GBFA60..	60	4-14	95	3.800

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

## FLACHE AUFLAGE „QUADRAT“

Item-No.	Concrete cover mm	For bar Ø mm	Pcs/ Bag	Pcs/ Pallet
GBFAQ20..	20	4-14	440	17.600
GBFAQ25..	25	4-14	325	13.000
GBFAQ30..	30	4-14	295	11.800
GBFAQ40..	40	4-14	185	7.400
GBFAQ50..	50	4-14	150	6.000
GBFAQ55..	55	4-14	100	4.000
GBFAQ60..	60	4-14	90	3.600
GBFAQ70..	70	4-14	70	2.800

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Cast concrete single spacer  
„Square shape“



..KK - with plastic clamp  
..FB - with shuttlecock clip  
..O - with eye hook

## RUNDE AUFLAGE

Item-No.	Concrete cover mm	For bar Ø mm	Pcs/ Bag	Pcs/ Pallet
GBRA20..	20	4-14		
GBRA25..	25	4-14	325	13.000
GBRA30..	30	4-14	300	12.000
GBRA35..	35	4-14	250	10.000
GRBR40..	40	4-14		

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Cast concrete single spacer  
„Circular shape“



..KK - with plastic clamp  
..FB - with shuttlecock clip  
..O - with eye hook



## 3-PUNKT AUFLAGE


Item-No.	Concrete cover mm	For bar Ø mm	Pcs/Bag	Pcs/Pallet
GBVA20..	20	4-14	384	15.360
GBVA25..	25	4-14	325	13.000
GBVA30..	30	4-14	300	12.000
GBVA35..	35	4-14	250	10.000
GBVA40..	40	4-14	192	7.680
GBVA45..	45	4-14	200	8.000
GBVA50..	50	4-14	200	8.000
GBVA60..	60	4-14	115	4.600
GBVA70..	70	4-14	92	3.680

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Cast concrete single spacer  
„Three feet“



..KK - with plastic clamp  
..FB - with shuttlecock clip  
..O - with eye hook



## 4-PUNKT AUFLAGE


Item-No.	Concrete cover mm	For bar Ø mm	Pcs/Bag	Pcs/Pallet
GBVA15/4..	15	4-14	300	18.000
GBVA20/4..	20	4-14	300	18.000
GBVA25/4..	25	4-14	300	18.000
GBVA30/4..	30	4-14	250	13.750
GBVA35/4..	35	4-14	250	11.250
GBVA40/4..	40	4-14	250	10.000
GBVA50/4..	50	4-14	200	8.000

Approved according to DBV specification „Abstandhalter“ DBV - c - L2/F/T/A

Cast concrete single spacer  
„Four feet“



..KK - with plastic clamp  
..FB - with shuttlecock clip  
..O - with eye hook



Fibre concrete tube  
for tie rod 15mm



## ROHR AUS FASERBETON

Item-No.	Inside Ø mm	Length mm	Pcs/ Bundle	Pcs/ Pallet
FBRO22/125	22	1.250	5	400

**Test certificates:**

- 1) Water leakage
- 2) Fire behaviour F180
- 3) Airborne sound insulation
- 4) Suitable for drinking water

Fibre concrete tube with fix length,  
for tie rod 15/17mm



## ROHR AUS FASERBETON, FIXLÄNGE

Item-No.	Inside Ø mm	Length mm	Pcs/ Bundle	Pcs/ Pallet
FBRO22/12	22	120	100	4.000
FBRO22/14	22	140	80	3.200
FBRO22/15	22	150	80	3.200
FBRO22/18	22	180	64	2.560
FBRO22/20	22	200	50	2.000
FBRO22/22	22	220	50	2.000
FBRO22/23	22	230	40	1.600
FBRO22/24	22	240	40	1.600
FBRO22/25	22	250	40	1.600
FBRO22/28	22	280	30	1.200
FBRO22/30	22	300	30	1.200
FBRO22/33	22	330	30	1.200
FBRO22/34	22	340	30	1.200
FBRO22/35	22	350	30	1.200
FBRO22/36	22	360	30	1.200
FBRO22/38	22	380	30	1.200
FBRO22/40	22	400	30	1.200


## FASERBETONSTOPFEN

Fibre concrete plug



Item-No.	For Ø mm	Length mm	Pcs/ Bag	Pcs/ Pallet
FBRST22/20	22	20	1.000	40.000
FBRST22/50	22	50	500	20.000

Concrete cone  
for K22/5



## GIESSBETONKEGEL

Only limited suitable for fair-faced concrete. Fits for cone K22/5.

Item-No.	Ø D1 mm	Ø D2 mm	Length mm	Pcs/ Bag	Pcs/ Pallet
GBK40/5	41	31	39	192	9.600

## NEVO-FBK 1

Item-No.	Quantity/ bucket in kg	Kg/ Pallet
FBA/1	1,5	144

### Advantages:

- Single-component adhesive
- Very large opening allows easy insertion of plugs
- Can be applied at once
- Can even be applied to slightly damp surface
- Shelf live of 12 months (for new and unopened cans)
- Can be stored in unheated rooms (down to -30°C and up to +80°C)
- 1 Set contains 3 tubes pouch each 500 gramm

Quantity required for 1.000 plugs: approx. 3kg



## HANDVERFÜLLPRESSE 310ML

Stable aluminium design with smooth push rod, strong transmission and galvanised handle for cartridges and bags.

- pole is shaped as an oktagon with automatic pressure release; no delay yield of the sealing mass
- well formed grip

Item-No.	Quantity/ Pcs
FBHVP2	1

Caulking gun 310ml



## HANDVERFÜLLPRESSE 600ML

Stable aluminium design with smooth push rod, strong transmission and galvanised handle for cartridges and bags.

- pole is shaped as an oktagon with automatic pressure release; no delay yield of the sealing mass
- well formed grip

Item-No.	Quantity/ Pcs
FBHVP	1

Caulking gun 600ml



Extension for caulking gun (FBHVPVD) for FBHVP and FBHVP2 available on request!




## SICHTBETONKEGEL

Fair-faced concrete plug for K22




Cone in high fair-faced concrete quality. Fits for cone K22. After removing the cone, the fair-faced concrete cone is glued into the conical opening. The result is a small shadow gap.


Item-No.	Material	Ø D1 mm	Ø D2 mm	Length mm	Pcs/Box	Pcs/Bag	Pcs/Pallet
SBK22GB	concrete	38	19	26,5	100	-	4.000
SBK22KS	plastic	37	21,6	28	-	250	5.000



**SBK22KS**  
in black




**SBK22GB**



**SBK22KS**  
in grey

Fair-faced concrete plug for K22/5



Plug in high fair-faced concrete quality to close the point. After the cone K22/5 has been removed, the exposed plug is glued into the conical opening. There is a shadow gap left.

Item-No.	Ø D1 mm	Ø D2 mm	Length mm	Pcs/Box
FBRK22/5	41	30	40	150

Plastic cone



## KONUS

Item-No.	For tube Ø mm	Fitting length mm	Pcs/Bag	Pcs/Big bag	Pcs/Pallet
K22*	22	10	500	-	30.000
K22/2	22	20	250	1.000	25.000
K22/3	22	30	250	1.000	5.000
K22/5	22	50	250	-	8.000
K26/5	26	50	125	500	15.000

\* K22 also available in blue



## STOPFEN MIT ENTLÜFTUNGSLÖCHERN

Item-No.	Pcs/ Bag	Pcs/ Pallet
ST22E	1.000	60.000



Plastic vent plug



## DICHTKAPPE

Item-No.	Fitting length mm	Pcs/ Bag	Pcs/ Big bag	Pcs/ Pallet
DIK22	1	250	5.000	70.000



Plastic sealing cap for Ø 22mm



## KUPPLUNG

Item-No.	Fitting length mm	Pcs/ Bag	Pcs/ Big bag	Pcs/ Pallet
DIKU22	1	250	2.500	35.000



Plastic sleeve connector for Ø 22mm



## FASERBETONROLLE

Item-No.	Concrete cover mm	Cut width mm	Inside Ø / Outside Ø	Pcs/ Bag	Pcs/ Pallet
FBRL35/25	35	25	13/83	100	3.000
FBRL45/25	45	25	13/102	50	2.000
FBRL50/30	50	30	14/114	40	1.600
FBRL55/30	55	30	14/124	30	1.200

Fibre concrete „Circular spacer“



## ABSTANDHALTER FÜR BRANDSCHUTZBEWEHRUNG

Item-No.	Concrete cover mm	Cut width mm	Pcs/ Bag	Pcs/ Pallet
FBBR45S	45	25	250	10.000
FBBR50S	50	25	200	8.000
FBBR60S	60	25	-	6.000

Spacer for fire resisting reinforcement

